



Implementing Cisco Catalyst SD-WAN Solutions v1.2 (300-415)

Exam Description: Implementing Cisco Catalyst SD-WAN Solutions v1.2 (ENSDWI 300-415) is a 90-minute exam associated with the CCNP Enterprise Certification. This exam tests a candidate's knowledge of Cisco's Catalyst SD-WAN solution, including SD-WAN architecture, controller deployment, WAN Edge router deployment, policies, security, quality of service, multicast, and management and operations. The course Implementing Cisco Catalyst SD-WAN Solutions helps candidates prepare for this exam.

The following topics are general guidelines for the content likely to be included in the exam. However, other related topics may also appear on any specific delivery of the exam. To better reflect the contents of the exam and for clarity purposes, the guidelines below may change at any time without notice.

- 20%** **1.0** **Architecture**
 - 1.1 Describe Cisco Catalyst SD-WAN architecture and components
 - 1.1.a Orchestration plane (SD-WAN Validator (formerly vBond), NAT)
 - 1.1.b Management plane (SD-WAN Manager (formerly vManage))
 - 1.1.c Control plane (SD-WAN Controller (formerly vSmart), OMP)
 - 1.1.c (i) TLOC
 - 1.1.c (ii) vRoute
 - 1.1.d Data plane (WAN Edge)
 - 1.1.d (i) IPsec and GRE
 - 1.1.d (ii) BFD
 - 1.1.e Multi-Region Fabric
 - 1.2 Describe Cisco Catalyst SD-WAN Edge platforms and capabilities
 - 1.3 Describe Cisco Catalyst SD-WAN Cloud OnRamp
 - 1.3.a SaaS
 - 1.3.b IaaS
 - 1.3.c Colocation
 - 1.3.b Multicloud (Cloud and Interconnect)
- 15%** **2.0** **Controller Deployment**
 - 2.1 Describe controller cloud deployment
 - 2.2 Describe controller on-premises deployment
 - 2.2.a Hosting platforms (Public and Private)
 - 2.2.b Installing controllers
 - 2.2.c Scalability and redundancy
 - 2.3 Configure certificates and device lists
 - 2.4 Troubleshoot control plane connectivity

- 20%** **3.0 Router Deployment**
 - 3.1 Describe WAN Edge deployment
 - 3.1.a On-boarding (ZTP and Bootstrap)
 - 3.1.b Data center and regional hub deployments
 - 3.2 Configure Cisco Catalyst SD-WAN data plane
 - 3.2.a Circuit termination and TLOC-extension
 - 3.2.b Dynamic tunnels
 - 3.2.c Underlay-overlay connectivity
 - 3.3 Configure OMP
 - 3.4 Configure TLOCs
 - 3.5 Configure CLI and SD-WAN Manager feature configuration templates
 - 3.5.a VRRP
 - 3.5.b OSPF
 - 3.5.c BGP
 - 3.5.d EIGRP
 - 3.6 Describe multicast support in Cisco SD-WAN
 - 3.7 Describe configuration and policy groups, feature profiles, and workflows
- 20%** **4.0 Policies**
 - 4.1 Configure control policies
 - 4.2 Configure data policies
 - 4.3 Configure end-to-end segmentation
 - 4.3.a VPN segmentation and membership
 - 4.3.b Topologies
 - 4.4 Configure Cisco Catalyst SD-WAN application-aware routing including AI-driven Predictive Path Recommendation
 - 4.5 Configure Direct Internet Access
- 15%** **5.0 Security and Quality of Service**
 - 5.1 Configure service insertion
 - 5.2 Describe Cisco Catalyst SD-WAN security features
 - 5.2.a Application-aware enterprise firewall
 - 5.2.b IPS
 - 5.2.c URL filtering
 - 5.2.d AMP
 - 5.2.e SSL and TLS proxy
 - 5.2.f TrustSec
 - 5.3 Describe Cloud security integration
 - 5.3.a DNS security
 - 5.3.b Secure Internet Gateway (SIG)

- 5.4 Configure QoS treatment on WAN Edge routers
 - 5.4.a Scheduling
 - 5.4.b Queuing
 - 5.4.c Shaping
 - 5.4.d Policing
 - 5.4.e Marking
 - 5.4.f Per-tunnel and adaptive QoS

- 5.5 Describe Application Quality of Experience (AppQoE)
 - 5.5.a TCP optimization
 - 5.5.b Data Redundancy elimination (DRE)
 - 5.5.c Packet duplication
 - 5.5.d Forward error correction (FEC)
 - 5.5.e AppNav
 - 5.5.f Nextgen firewall (NGFW)

- 10%** **6.0 Management and Operations**
 - 6.1 Describe authentication, monitoring, reporting, and troubleshooting from SD-WAN Manager
 - 6.2 Configure authentication, monitoring, and reporting
 - 6.3 Describe REST API monitoring
 - 6.4 Describe software image management from SD-WAN Manager